

Scissor Lift

Used Scissor Lift Richmond - The industrial equipment that utilizes crisscrossed steel linked arms is scissor lifts. This equipment is utilized to create an “X” patterned support in order to accomplish vertical lifting. Workers use a sizeable rectangle platform that is secured to the top of the lifting apparatus. To maintain operator safety, there are support railings at the top of the platform. The scissor lift has a low profile to maintain stability on hard, compact surfaces like concrete. This equipment relies on either a combustion engine or an electric motor to create the lift and transport the machine. Since the scissor lift functions on a vertical plane, if it needs to be repositioned horizontally, the operator will have to move it into place. The lifting components of both regular lift models and rough terrain units rely on the same lifting technology. The rough terrain is specially designed for traversing uneven ground. Higher ground clearance and oversized all-terrain tires enable these machines to travel to tricky locations. Some scissor lifts have 4WD to travel through difficult and muddy locations. Thanks to the higher center of gravity lower lifting heights are available. If you have never operated one before, scissor lifts can seem strange or intimidating. Images of swaying in the wind and being precariously balanced may come to mind. Feel secure knowing you will not feel the lift even moving and you will be in a stable position. Rigorous safety testing has to be completed prior to selling these machines. It is natural to feel unsure of these units until you can familiarize yourself with them. Safety precautions need to be maintained at all times. Understanding what you will be using your scissor lift for will help ensure you have the right type of model. The model you will prefer will largely depend on the types of jobs you plan on completing. Essential factors to consider are the kinds of loads you will be transporting, the weight you will need to lift and how high you will have to go. There are different models on the market that can help you reach various heights. Compact units are often used for interior locations including factories, warehouses or freight locations. There is no reason to buy the biggest and best model on the market if you are not going to use the highest capacity. Electric scissor lifts have optional platforms and railings to offer maximum safety features. Scissor lifts are reliable and safe for a multitude of applications. Many safety inspections and specifications need to be maintained in order for these industrial machines to be available for sale. Scissor lifts help people accomplish tasks that are otherwise unattainable, unreachable or inaccessible. These machines are situated in place before elevating vertically. The operator will ensure it is the proper position prior to engaging the lift. There are a variety of safety features incorporated into the design. Safety is accomplished by following operational guidelines. There is a safe basket workspace on scissor lifts to ensure lifting tasks are more secure as opposed to hanging off of scaffolding or a ladder. The majority of scissor lifts utilize batteries that are internally mounted inside of the base of the lift to generate power. After working an extensive shift or for prolonged periods of time, charging is necessary. Numerous operators charge their units throughout the day or replace batteries every 12 hours. To facilitate scissor lift charging, the operator can park the machine close to an electrical outlet in a well-ventilated place. When the machine is parked, the emergency shut-off switch becomes engaged to stop. The sizeable red button found inside of the basket or the lift located near the charger or control box is the emergency shut-off switch. Oftentimes, the battery charger is found on the right side of the lift on the base of the machine. Older scissor lifts may have a battery charger found on the back of the unit. The charger for the machine is plugged into the AC extension cord within a well-ventilated area and the extension cord plugs into an electrical outlet. It is essential that the electrical cord length on the battery charger is short to prevent being run over or damaged. There is a high possibility of danger if the extension cord dropped out of the battery charger while the machine is in operation. Ideally, all of the lights on the charger should become illuminated after the scissor lift is plugged in. The batteries will automatically begin charging once plugged in. After the charging is complete, the battery lights switch to green and the charger shuts down. Older scissor lifts need to use a meter to show zero volts once they are completely charged and

this charger also turns off after completion. After the scissor lift is completely charged, the unit is ready to get back to work. Many places employ their scissor lift for 24 hours a day by having additional batteries continually charging.